

Standard Plumbing Kit

Model: GBPK



INCLUDED:

- Union Brass 4" on-center (2) handle chrome faucet
- T&S Brass Spray head with coiled hose
- 3½" Spin-N-Lock sink basket strainer
- Mesh strainer 1½"
- PVC "P" trap
- Stainless steel sprayer holder

Features

- Designed for use with Groomer's Best bathing tubs
- Heavy-duty, industrial sprayer
- Flow rate: 3.85 GPM @ 60 psi
- One year warranty

**Groomer's
Best**

Designed by Experts, Trusted by Groomers

616 South Sioux Blvd.
Brandon, SD 57005

605.582.3013

customerservice@groomersbest.com

groomersbest.com



UNION BRASS MFG. CO.

2935 Waters Road, Eagan, MN 55121
Phone (651) 454-8858 Fax (651) 454-1228
WWW.UNIONBRASS.COM






Model Number: 747X-H
Wall or Deck Mount
Faucet with Garden Hose
Thread Adapter

Meets ASME 112.18.1 Requirements

Features & Specifications

- Cast brass body
- Replaceable seats & stems
- Ceramic, 1/4 turn stems
- 1/2" NPS male shanks
- Polished chrome finish





T&S BRASS AND BRONZE WORKS, INC.

2Saddleback Cove / P.O.Box1088
Travelers Rest, SC29690

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

Model No.

PJ-108H-CH01

Item No.

This Space for Architect/Engineer Approval

Job Name _____ Date _____

Model Specified _____ Quantity _____


Customer/Wholesaler _____

Contractor _____

Architect/Engineer _____



Garden Hose
Female Thread Inlet



Polyurethane
Blue Coiled Hose

EB-0108-H
Blue High Flow
Spray Valve

3 1/8"
[80mm]

21 5/8"
[550mm]

8"
[203mm]

Product Specifications:
High Flow Blue Spray Valve, Polyurethane Blue Coiled
Hose & Female Garden Hose Inlet

Product Compliance:
NSF 61 Exempt (Non-Potable)



Rinse Units

PJ-108H-CH01


TAG:

Pet Grooming

Architect/Engineering Specifications:

Blue coiled hose with high flow blue spray valve and female garden hose inlet.

Job Name _____
 Model Specified _____ Quantity _____
 Variations Specified _____
 Date _____



Features & Benefits:

- Blue coiled Polyurethane hose
- High flow spray valve
- Garden hose female threat inet
- Material: Polyurethane hose and chrome plated brass spray valve and insulated rubber grip handle

Product Compliance:

- N/A

Warranty: One Year (Limited)

Performance Data:

- Pressure: 20 - 125 psi
- Temperature: 40°F - 140°F
- Flow Rate: 3.85 GPM @ 60 psi



T&S BRASS AND BRONZE WORKS, INC.



• 2 Saddleback Cove • Travelers Rest, SC 29690
 Ph 800-476-4103 • Fax 864-834-3518
 • Simi Valley, CA • Ph 800-423-0150 • www.tsbrass.com

Date: 11/21/16